


HABONIM VARIOUS END CONNECTORS



Valve Size	SW			
	ØI	L	C	
1/4	mm	14.1	11.0	23.0
	inch	0.555	0.433	0.906
3/8	mm	17.6	11.0	23.0
	inch	0.693	0.433	0.906
1/2	mm	21.8	11.0	23.0
	inch	0.858	0.433	0.906
3/4	mm	27.1	13.5	23.0
	inch	1.067	0.531	0.906
1"	mm	34.2	13.5	31.0
	inch	1.346	0.531	1.220
1 1/4	mm	42.9	13.5	33.4
	inch	1.687	0.531	1.315
1 1/2	mm	48.7	13.5	33.4
	inch	1.917	0.531	1.315
2	mm	61.2	17.5	35.5
	inch	2.409	0.689	1.398
2 1/2	mm	73.7	29.3	39.3
	inch	2.902	1.154	1.545
3	mm	89.55	33.1	42.9
	inch	3.526	1.303	1.688
4	mm	114.9	39.9	52.4
	inch	4.524	1.571	2.063

SWO		
ØI	L	C
6.5	9.8	22.6
0.254	0.384	0.890
9.8	9.8	22.6
0.386	0.384	0.890
12.9	11.3	22.6
0.508	0.443	0.890
19.3	14.3	23.0
0.758	0.561	0.906
25.6	14.3	31.0
1.008	0.561	1.220
32.1	14.3	33.4
1.262	0.561	1.315
38.7	14.3	33.4
1.524	0.561	1.315
51.1	14.3	35.8
2.010	0.561	1.409
63.8	19.5	42.7
2.510	0.768	1.681
76.5	19.5	42.7
3.012	0.768	1.681
101.9	19.5	52.4
4.012	0.768	2.063

BWO		
t	ØO	C
0.89	6.35	22.7
0.035	0.250	0.894
1.24	9.53	22.7
0.049	0.375	0.894
1.65	12.70	22.7
0.065	0.500	0.894
1.65	19.05	23.0
0.065	0.750	0.906
1.65	25.4	31.1
0.065	1.000	1.224
1.65	31.75	33.4
0.065	1.250	1.315
1.65	38.1	32.8
0.065	1.50	1.291
1.65	50.8	35.8
0.065	2.00	1.409
1.65	63.5	42.7
0.065	2.50	1.681
1.65	76.2	37.75
0.065	3.00	1.486
2.1	101.6	43.0
0.083	4.00	1.693

KLM		
ØI	L	C
9.7	5.9	21.6
0.382	0.232	0.850
12.9	9.4	21.6
0.508	0.370	0.850
16.05	11.9	21.6
0.634	0.469	0.850
22.4	18.9	23.0
0.888	0.744	0.906
28.7	24.9	30.0
1.130	0.980	1.181
35.0	25.9	33.4
1.378	1.020	1.315
41.7	26.9	33.5
1.642	1.63	1.319
54.2	26.9	35.5
2.134	1.63	1.398
66.85	42.7	42.7
2.632	1.681	1.681
79.55	34.5	44.25
3.132	1.358	1.742
105.0	40.0	52.4
4.134	1.575	2.063

Valve Size	BW SCH 10			
	ØI	ØO	C	
1/4	mm	10.3	14.0	22.7
	inch	0.406	0.551	0.894
3/8	mm	13.7	17.3	22.7
	inch	0.539	0.681	0.894
1/2	mm	17.0	21.5	22.7
	inch	0.669	0.846	0.894
3/4	mm	22.4	26.9	23.0
	inch	0.882	1.059	0.906
1	mm	27.8	33.6	31.0
	inch	1.094	1.323	1.220
1 1/4	mm	36.5	42.6	33.4
	inch	1.437	1.677	1.315
1 1/2	mm	42.6	48.5	33.5
	inch	1.677	1.909	1.319
2	mm	54.7	60.5	35.8
	inch	2.154	2.382	1.409
2 1/2	mm	67.1	73.2	42.7
	inch	2.642	2.882	1.681
3	mm	82.6	89.1	42.9
	inch	3.252	3.508	1.689
4	mm	106.2	113.9	52.4
	inch	4.181	4.484	2.063

BW SCH 40		
ØI	ØO	C
9.3	14.0	22.7
0.366	0.551	0.894
12.5	17.3	22.7
0.492	0.681	0.894
15.8	21.5	22.7
0.622	0.846	0.894
20.9	26.9	23.0
0.823	1.059	0.906
26.5	33.6	31.0
1.043	1.323	1.220
35.1	42.6	33.4
1.382	1.677	1.315
40.9	48.5	33.5
1.610	1.909	1.319
52.6	60.5	35.8
2.071	2.382	1.409
62.7	73.2	42.7
2.469	2.882	1.681
77.9	89.1	42.9
3.067	3.508	1.689
102.3	113.9	52.4
4.028	4.484	2.063

BW SCH 80		
ØI	ØO	C
7.7	14.0	22.7
0.303	0.551	0.894
10.3	17.3	22.7
0.406	0.681	0.894
13.8	21.5	22.7
0.543	0.846	0.894
18.8	26.9	23.0
0.740	1.059	0.906
24.3	33.6	31.0
0.957	1.323	1.220
32.5	42.6	33.4
1.280	1.677	1.315
38.1	48.5	33.5
1.50	1.909	1.319
49.3	60.5	35.8
1.941	2.382	1.409
59.2	73.2	42.7
2.331	2.882	1.681
73.7	89.1	42.9
2.902	3.508	1.689
97.2	113.9	52.4
3.827	4.484	2.063

